

9.b Il trattamento riabilitativo nell'osteoporosi. Evidenze scientifiche

Angela Del Rosso, Susanna Maddali Bonghi

- Bolam K.A., Van Uffelen J.G., Taaffe D.R. (2013), *The effect of physical exercise on bone density in middle-aged and older men: A systematic review*, in «Osteop. Int.», 24, pp. 2749-2762.
- Bonaiuti D., Arioli G., Diana G., Franchignoni F., Giustini A., Monticone M. et al. (2005), *SIMFER rehabilitation treatment guidelines in postmenopausal and senile osteoporosis*, in «Eur. Medicophys.», 41, pp. 315-337.
- Bonaiuti D., Shea B., Iovine R., Negrini S., Robinson V., Kemper H.C. et al. (2002), *Exercise for preventing and treating osteoporosis in postmenopausal women*, «The Cochrane Datab. Syst. Rev.», 3, CD000333.
- Carter M.I., Hinton P.S. (2014), *Physical activity and bone health*, in «Mo. Med.», 111, pp. 59-64.
- Christianson M.S., Shen W. (2013), *Osteoporosis prevention and management: Nonpharmacologic and lifestyle options*, in «Clin. Obstet. Gynecol.», 56, pp. 703-710.
- Devogelaer J.P., Goemaere S., Boonen S., Body J.J., Kaufman J.M., Reginster J.Y. et al. (2006), *Evidence-based guidelines for the prevention and treatment of glucocorticoid-induced osteoporosis: A consensus document of the Belgian Bone Club*, in «Osteop. Int.», 17, pp. 8-19.
- Forwood M.R., Larsen J.A. (2000), *Exercise recommendations for osteoporosis: A position statement of the Australian and New Zealand Bone and Mineral Society*, in «Austr. Fam. Physic.», 29, pp. 761-764.
- Granacher U., Gollhofer A., Hortobágyi T., Kressig R.W., Muehlbauer T. (2013), *The importance of trunk muscle strength for balance, functional performance, and fall prevention in seniors: A systematic review*, in «Sports Med.», 43, pp. 627-641.
- Hagen K.B., Dagfinrud H., Moe R.H., Østerås N., Kjekken I., Grotle M. et al. (2012), *Exercise therapy for bone and muscle health: An overview of systematic reviews*, in «BMC Med.», 10, p. 167.
- [Http://www.siommm.it/linee-guida-per-la-diagnosi-prevenzione-e-terapia-dellosteoporosi/](http://www.siommm.it/linee-guida-per-la-diagnosi-prevenzione-e-terapia-dellosteoporosi/)
- Kanis J.A., Delmas P., Burckhardt P., Cooper C., Torgerson D. (1997), *Guidelines for diagnosis and management of osteoporosis*, in «Osteop. Int.», 7, pp. 390-406.
- Kemmler W., Häberle L., Von Stengel S. (2013), *Effects of exercise on fracture reduction in older adults: A systematic review and meta-analysis*, in «Osteop. Int.», 24, pp. 1937-1950.
- Lee M.S., Pittler M.H., Shin B.C., Ernst E. (2008), *Tai Chi for osteoporosis: A systematic review*, in «Osteop. Int.», 19, pp. 139-146.
- Li W.C., Chen Y.C., Yang R.S., Tsauo J.Y. (2009), *Effects of exercise programmes on quality of life in osteoporotic and osteopenic postmenopausal women: A systematic review and meta-analysis*, in «Clin. Rehabil.», 23, pp. 888-896.
- Martyn-St. James M., Carroll S. (2009), *A meta-analysis of impact exercise on postmenopausal bone loss: The case for mixed loading exercise programmes*, in «Br. J. Sports Med.», 43, pp. 898-908.
- Martyn-St. James M., Carroll S. (2010), *Effects of different impact exercise modalities on bone mineral density in premenopausal women: A meta-analysis*, in «J. Bone Miner. Metab.», 28, pp. 251-267.
- Oral A., Küçükdeveci A.A., Varela E., Ilieva E.M., Valero R., Berteanu M. et al. (2013), *Osteoporosis. The role of physical and rehabilitation medicine physicians. The european perspective based on the best evidence. A paper by the UEMS-PRM section Professional Practice Committee*, in «Eur. J. Phys. Rehabil. Med.», 49, pp. 565-577.

Schmitt N.M., Schmitt J., Dören M. (2009), *The role of physical activity in the prevention of osteoporosis postmenopausal women: An update*, in «Maturitas», 20(63), pp. 34-38.

Wayne P.M., Kiel D.P., Krebs D.E., Davis R.B., Savetsky-German J., Connelly M. et al. (2007), *The effects of Tai Chi on bone mineral density in postmenopausal women: A systematic review*, in «Arch. Phys. Med. Rehabil.», 88, pp. 673-680.